30-0-8

90% PCU, 10% Ammonium Sulphate (Sulfate d'ammonium)

250 SGN

Guaranteed Minimum Analysis

MACRONUTRIENTS

Total Nitrogen (N) 30.00%
90% of total nitrogen (27 out of 30) Polymer-coated Urea
Registration # 2022738S Fertilizers Act
10% Ammonium Sulphate
Available Phosphoric acid (P_2O_5).....0.00%
Soluble Potash (K_2O) 8.00%

MICRONUTRIENTS

Sulfur (S) 5.00%
Magnesium (Mg).....1.00%
Iron (Fe).....1.00%

Analyse Minimale Garantie

MACRONUTRIENTS

Azote total (N) 30,00%
90% de l'azote total (27 sur 30) Urée enrobée de polymère
Enregistrement # 2022738S Loi sur les engrais
10 % Sulfate d'ammonium
Disponible Acide phosphorique (P_2O_5).....0.00%
Potasse soluble (K_2O) 8,00%

MICRONUTRIENTS

Soufre (S) 5,00%
Magnésium (Mg) 1,00%
Fer (Fe) 1,00%

Product derived from: Polymer Coated Urea (Castor Oil 3%, Isocyanate 2.4%, C30 Wax 0.2%,Triethanolamine 0.4%), Muriate of Potash, Ammonium Sulphate, Magnesium Oxysulphate, Calcium Carbonate, Sulphate of Potash, Iron Oxysulphate. Active ingredients derived from registered and exempt materials. Caution: this fertilizer contains iron and should be used only as recommended. It may prove harmful when misused.

Directions for Use : Apply 2.9 bags per acre (4,047 m^2) to obtain 1 lb. (0.45 kg) of nitrogen per 1,000 ft^2 (93 m^2) or 5.8 bags per acre (4,047 m^2) to obtain 2 lb. (0.9 kg) of nitrogen per 1,000 ft^2 (93 m^2). Apply after the dew is gone from the turf. Additional seasonal applications should be completed based on a soil and/ or tissue analysis. To be used as part of a complete fertilization program, user should seek advice of an agronomist.

Produit dérivé de : urée enrobée de polymère (Huile de ricin 3%, Isocyanate 2,4%, Cire C30 0,2%, Triéthanolamine 0,4%) ,muriate de potasse, sulfate d'ammonium, oxysulfate de magnésium, carbonate de calcium, sulfate de potasse, oxysulfate de fer. Ingrédients actifs dérivés de matières enregistrées et exemptées. Attention : cet engrais contient du fer et ne doit être utilisé que selon les recommandations. Il peut s'avérer nocif en cas d'utilisation abusive.

Mode D'emploi : Appliquer 2.9 sacs par acre (4,047 m^2) pour obtenir 1 lb. (0.45 kg) de azote par 1000 pi^2 (93 m^2) ou appliquer 5.8 sacs par acre (4,047 m^2) pour obtenir 2 lb. (0.9 kg) de azote par 1000 pi^2 (93 m^2). Appliquer après que la rosée ait disparu du gazon. Des applications saisonnières supplémentaires doivent être effectuées sur la base d'une analyse du sol et/ou des tissus. A utiliser dans le cadre d'un programme complet de fertilisation, l'utilisateur doit demander l'avis d'un agronome.

SUGGESTED SPREADER SETTINGS /RÉGLAGES SUGGÉRÉS POUR L'ÉPANDEUR:

These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader prior to applying product. Ces suggestions de réglages de l'épandeur ne sont pas destinées à remplacer l'étalonnage. Veuillez calibrer votre épandeur avant d'appliquer le produit.

SPREADER épandeur	GROUND SPEED vitesse au sol	WIDTH OF COVERAGE largeur de la couverture	TOTAL PRODUCT/ produit total LOW RATE faible taux 3.0 lbs/1,000 sq ft	TOTAL PRODUCT/ produit total MEDIUM RATE taux moyen 4.0 lbs/1,000 sq ft
AccuPro 2000	3 mph/ 4.8 km/h	10 ft/ 3 m	L	M
Earthway 2400	3 mph/ 4.8 km/h	8 ft/ 2.4 m	15	16
Lely Models WR, WFG, HR 1240 (PTO @ 450 rpm)	4.5 mph/ 7.2 km/h	30 ft/ 9.1 m	5 II	6 II
Lesco (letters)	3 mph/ 4.8 km/h	7 ft/ 2.1 m	I	J
Lesco (numbers)	3 mph/ 4.8 km/h	7 ft/ 2.1 m	17	21
Prizelawn CBR III	3 mph/ 4.8 km/h	8 ft/ 2.4 m	L	N
Prizelawn CBR II	3 mph/ 4.8 km/h	8 ft/ 2.4 m	4 1/2	5 1/2
Scotts R8	3 mph/ 4.8 km/h	10 ft/ 3 m	L	M
Spyker	3 mph/ 4.8 km/h	8 ft/ 2.4 m	4 1/2	4 3/4
Vicon (03 Series)	4.5 mph/ 7.2 km/h	24 ft/ 7 m	22	23

Net Weight/ poids net
25 kg (55 lb)

TARGET SPECIALTY PRODUCTS

Guaranteed by, manufactured for/ garantie par, fabriqué pour:
Target Specialty Products PO Box 278 Milton, ON Canada L9T 4N9

CI601929